

## PRODUCT INFORMATION



# RONDA 600 PLUS

Item number: 528.26.6068.2

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	52,4 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	A
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	32,5 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	A
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	52,1 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	76,0 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	C
MINIMUM AIRFLOW ( $Q_{min}$ )	292 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	647 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	- m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	53 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	66 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	- dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	- W
STANDBY POWER ( $P_s$ )	0,8 W
HEIGHT	65 mm*
DEPTH	600 mm*
WIDTH	600 mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

## PRODUCT INFORMATION



# RONDA 600 PLUS

Item number: 528.26.6068.3

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	72,7 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	D
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	12,3 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	E
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	52,1 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	76,1 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	C
MINIMUM AIRFLOW ( $Q_{min}$ )	276 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	626 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	- m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	47 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	64 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	- dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	- W
STANDBY POWER ( $P_s$ )	0,95 W
HEIGHT	65 mm*
DEPTH	600 mm*
WIDTH	600 mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



# RONDA 600 PLUS

Item number: 528.26.6068.4

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	72,7 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	D
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	12,3 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	E
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	52,1 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	76,1 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	C
MINIMUM AIRFLOW ( $Q_{min}$ )	276 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	626 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	- m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	47 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	64 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	- dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	- W
STANDBY POWER ( $P_s$ )	0,95 W
HEIGHT	mm*
DEPTH	mm*
WIDTH	mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to “COMMISSION DELEGATED REGULATION (EU) No 65/2014”

PRODUCT INFORMATION



# RONDA 600 PLUS

Item number: 528.26.6068.5

ANUAL ENERGY CONSUMPTION ( $AEC_{hood}$ )	51,3 kWh/a
ENERGY EFFICIENCY CLASS ( $EEI_{class}$ )	C
FLUID DYNAMIC EFFICIENCY ( $FDE_{hood}$ )	17,7 %
FLUID DYNAMIC EFFICIENCY CLASS ( $FDE_{class}$ )	D
LIGHTNING EFFICIENCY ( $LE_{hood}$ )	52,1 lux/W
LIGHTNING EFFICIENCY CLASS ( $LE_{class}$ )	A
GREASE FILTERING EFFICIENCY ( $GFE_{hood}$ )	76,1 %
GREASE FILTERING EFFICIENCY CLASS ( $GFE_{class}$ )	C
MINIMUM AIRFLOW ( $Q_{min}$ )	212 m <sup>3</sup> /h
MAXIMUM AIRFLOW ( $Q_{max}$ )	490 m <sup>3</sup> /h
AIRFLOW – BOOST ( $Q_{boost}$ )	- m <sup>3</sup> /h
MINIMUM SOUND POWER LEVEL ( $L_{WA min}$ )	42 dBA
MAXIMUM SOUND POWER LEVEL ( $L_{WA max}$ )	64 dBA
SOUND POWER LEVEL – BOOST ( $L_{WA boost}$ )	- dBA
POWER CONSUMPTION OFF-MODE ( $P_0$ )	- W
STANDBY POWER ( $P_s$ )	0,95 W
HEIGHT	mm*
DEPTH	mm*
WIDTH	mm*

\*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to “COMMISSION DELEGATED REGULATION (EU) No 65/2014”