

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7862.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 600 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to “COMMISSION DELEGATED REGULATION (EU) No 65/2014”

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7872.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 700 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7861.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 600 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7868.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 600 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to “COMMISSION DELEGATED REGULATION (EU) No 65/2014”

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7891.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 900 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7898.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 900 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7892.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 900 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7871.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 700 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to “COMMISSION DELEGATED REGULATION (EU) No 65/2014”

PRODUCT INFORMATION



DECOR 786

Item number: 527.42.7878.2

| | |
|---|-----------------------|
| ANUAL ENERGY CONSUMPTION (AEC_{hood}) | 49,2 kWh/a |
| ENERGY EFFICIENCY CLASS (EEI_{class}) | A |
| FLUID DYNAMIC EFFICIENCY (FDE_{hood}) | 29,2 % |
| FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class}) | A |
| LIGHTNING EFFICIENCY (LE_{hood}) | 55,9 lux/W |
| LIGHTNING EFFICIENCY CLASS (LE_{class}) | A |
| GREASE FILTERING EFFICIENCY (GFE_{hood}) | 74,5 % |
| GREASE FILTERING EFFICIENCY CLASS (GFE_{class}) | D |
| MINIMUM AIRFLOW (Q_{min}) | 301 m ³ /h |
| MAXIMUM AIRFLOW (Q_{max}) | 600 m ³ /h |
| AIRFLOW – BOOST (Q_{boost}) | 720 m ³ /h |
| MINIMUM SOUND POWER LEVEL ($L_{WA min}$) | 52 dBA |
| MAXIMUM SOUND POWER LEVEL ($L_{WA max}$) | 65 dBA |
| SOUND POWER LEVEL – BOOST ($L_{WA boost}$) | 70 dBA |
| POWER CONSUMPTION OFF-MODE (P_0) | - W |
| STANDBY POWER (P_s) | 0,99 W |
| HEIGHT | 100 mm* |
| DEPTH | 500 mm* |
| WIDTH | 700 mm* |

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"