

PRODUCT INFORMATION



TF(M)H

Item number: 513.19.5158.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	72,5 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	D
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	3,4 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	G
LIGHTNING EFFICIENCY (LE_{hood})	66,0 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	75,7 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	C
MINIMUM AIRFLOW (Q_{min})	109,2 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	207,8 m ³ /h
AIRFLOW – BOOST (Q_{boost})	N/A m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	52 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	65 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	N/A dBA
POWER CONSUMPTION OFF-MODE (P_0)	N/A W
STANDBY POWER (P_s)	0,43 W
HEIGHT	212 mm*
DEPTH	277 mm*
WIDTH	547 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



TF(M)H

Item number: 513.19.5028.2

ANUAL ENERGY CONSUMPTION (AEC_{hood})	80,9 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	E
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	3,9 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	G
LIGHTNING EFFICIENCY (LE_{hood})	74 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	81,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	C
MINIMUM AIRFLOW (Q_{min})	135,6 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	263,8 m ³ /h
AIRFLOW – BOOST (Q_{boost})	- m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	50 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	62 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	- dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,43 W
HEIGHT	212 mm*
DEPTH	400 mm*
WIDTH	744 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



TF(M)H

Item number: 513.19.5028.3

ANUAL ENERGY CONSUMPTION (AEC_{hood})	80,9 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	E
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	3,9 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	G
LIGHTNING EFFICIENCY (LE_{hood})	74,0 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	81,3 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	C
MINIMUM AIRFLOW (Q_{min})	135,6 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	263,8 m ³ /h
AIRFLOW – BOOST (Q_{boost})	N/A m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	50 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	62 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	N/A dBA
POWER CONSUMPTION OFF-MODE (P_0)	N/A W
STANDBY POWER (P_s)	0,43 W
HEIGHT	76 mm*
DEPTH	400 mm*
WIDTH	744 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

PRODUCT INFORMATION



TF(M)H

Item number: 513.19.5158.3

ANUAL ENERGY CONSUMPTION (AEC_{hood})	93,4 kWh/a
ENERGY EFFICIENCY CLASS (EEI_{class})	E
FLUID DYNAMIC EFFICIENCY (FDE_{hood})	3,2 %
FLUID DYNAMIC EFFICIENCY CLASS (FDE_{class})	G
LIGHTNING EFFICIENCY (LE_{hood})	66 lux/W
LIGHTNING EFFICIENCY CLASS (LE_{class})	A
GREASE FILTERING EFFICIENCY (GFE_{hood})	74,8 %
GREASE FILTERING EFFICIENCY CLASS (GFE_{class})	D
MINIMUM AIRFLOW (Q_{min})	148,8 m ³ /h
MAXIMUM AIRFLOW (Q_{max})	254,9 m ³ /h
AIRFLOW – BOOST (Q_{boost})	- m ³ /h
MINIMUM SOUND POWER LEVEL ($L_{WA min}$)	30 dBA
MAXIMUM SOUND POWER LEVEL ($L_{WA max}$)	54 dBA
SOUND POWER LEVEL – BOOST ($L_{WA boost}$)	- dBA
POWER CONSUMPTION OFF-MODE (P_0)	- W
STANDBY POWER (P_s)	0,43 W
HEIGHT	76 mm*
DEPTH	277 mm*
WIDTH	547 mm*

*All measures are with a tolerance on +/- 0.5 mm

Product fiche according to “COMMISSION DELEGATED REGULATION (EU) No 65/2014”